

Display Solutions Your Future. On Display.



2F BJS Bldg., 1869 P. Domingo St., Makati City 1206
Info@techpryme.com
www.techpryme.com

Table of Contents

About the Company	2
Display Solutions	3
Professional Displays	4
Visual eXperience Transformation (VXT)	10
Other Services	12
Why Choose Us?	13

About the Company

At TechPryme, we're dedicated to understanding our clients' unique needs. By tailoring technology and business process outsourcing solutions, we exceed expectations and build lasting partnerships based on mutual success.

Our team of experts seamlessly integrates innovation with an in-depth comprehension of your business landscape, ensuring that our solutions are not just advanced but intricately customized to empower your business like never before.

Our Mission

Provide reliable solutions that are relevant, intuitive, and adaptable to all types of businesses.

Our Vision

To be Your Go-To technology enabled solutions partner.

Displays Solutions



Gaming Monitor



Smart Monitor



Smart Signage



Video Wall



LED Wall



Hotel IPTV



Flip 2.0



Self-Ordering Kiosk

Professional Displays

Basic & Entry



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
QB13R-M	13"	FHD	500nit, 16/7 , Full HD, Haze 10%, 1.7kg, VESA 100x100, Small Signage Display Slim & Light Signage with Built-in MagicInfo S6, SSSP 6.0, Tizen 4.0
QB24R-B	24"	UHD	250nit, 16/7, Full HD, Haze 25%, 4.1kg, VESA 100x100, Small Signage Display Slim & Light Signage with Built-in MagicInfo S6, SSSP 6.0, Tizen 4.0
QB43C	43"	UHD	350nit, 16/7, UHD 4K Haze 2%, 11.3kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB50C	50"	UHD	350nit, 16/7, UHD 4K Haze 3%, 14.9kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB55C	55"	UHD	350nit, 16/7, UHD 4K Haze 2%, 19.9kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB65C	65"	UHD	350nit, 16/7, UHD 4K Haze 2%, 28.6kg, VESA 400x300, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB75C	75"	UHD	350nit, 16/7, UHD 4K Haze 2%, 44.1kg, VESA 400x400, Bezel Width (13.4mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB85C	85"	UHD	350nit, 16/7, UHD 4K Haze 2%, 53.9kg, VESA 600x400, Bezel Width (13.9mm even), Depth (28.5mm) Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QB98T-B	98"	UHD	"350nit, 24/7, UHD 4K Haze 25%, 77.1kg, VESA 900x600, Built-in MagicInfo S6,
New! QE98C	98"	FHD	450nit, 16/7, UHD 4L, Haze 2%,Glare, 56.3 kg, MagicInfo lite 6, Built in Speaker(10W + 10W), Connectivity: DVI-D, Display Port 1.2 (1), HDMI 2.0 (2), HDCP2.2, Stereo mini Jack, DVI, HDMI/Audio(Common), Tizen 6.5, Orientation : Landscape Only

Mainstream



QM32R-B	32"	UHD	400nit, 24/7, Full HD Haze 2%, TBA, VESA 200 X 200, Full HD Signage Display, Slim & Light Signage, Built-in MagicInfo S6, SSSP 6.0, Tizen 4.0 (VDLinux)
QM43C	43"	UHD	500nit, 24/7, UHD 4K Haze 25%, 11.3kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QM50C	50"	UHD	500nit, 24/7, UHD 4K Haze 25%, 14.9kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QM55C	55"	UHD	500nit, 24/7, UHD 4K Haze 25%, 19.9kg, VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QM65C	65"	UHD	500nit, 24/7, UHD 4K Haze 25%, 28.6kg, VESA 400x300, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0

QM75C	75"	UHD	500nit, 24/7, UHD 4K Haze 25%, 42.8kg, VESA 400x400, Bezel Width (13.4mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QM85C	85"	UHD	500nit, 24/7, UHD 4K Haze 25%, 42.8kg, VESA 600x400, Bezel Width (13.9mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QM98T-B	98"	UHD	500nit, 24/7, UHD 4K Haze 25%, Non-Glare, 106 kg, VESA 800x400, UHD Signage Display Slim & Light Signage, Built-in MagicInfo S6, SSSP 6.0, Tizen 4.0 (VDLinux)

High End



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
QH43C	43"	UHD	700nit, 24/7, UHD 4K Haze 25%, 11.8kg,VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QH50C	50"	UHD	700nit, 24/7, UHD 4K Haze 25%, 15.5kg,VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QH55C	55"	UHD	700nit, 24/7, UHD 4K Haze 25%, 21.1kg,VESA 200x200, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QH65C	65"	UHD	700nit, 24/7, UHD 4K Haze 25%, 29.8kg,VESA 400x300, Bezel Width (11.5mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0
QH75C	75"	UHD	700nit, 24/7, UHD 4K Haze 25%, 44kg,VESA 400x400, Bezel Width (13.4mm even), Depth (28.5mm), Built-in MagicInfo S10, SSSP 10.0, IP5x Rating, Wi-Fi/BT, Tizen 7.0

Videowall



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
VH55R-R	55"	FHD	Max 700nit, 24/7, Non Glare, IPS Panel (28% Haze), VESA 600x400, Bezel 0.44mm (Even), Digital Daisy Chain (Supporting UHD Resolution, HDCP support)
VM55B-R	55"	FHD	Max 500nit, 24/7, Non Glare, IPS Panel (28% Haze), VESA 600x400, Bezel 0.44mm (Even), Digital Daisy Chain (Supporting UHD Resolution, HDCP support)
VH55B-E	55"	FHD	Max 700nit, 24/7, Non Glare, IPS Panel, 1.74mm (Panel Bezel to Panel Bezel), 1.3mm(U/L), 0.44mm(R/B) A2A : 2.49mm, 1.75mm(U/L), 0.74mm(R/B), VESA 600X400, Haze 28%, Digital Daisy Chain (Supporting
VM55B-E	55"	FHD	Max 500nit, 24/7, Non Glare, IPS Panel, B2B : 1.74mm (Panel Bezel to Panel Bezel), 1.3mm(U/L), 0.44mm(R/B) A2A : 2.49mm, 1.75mm(U/L), 0.74mm(R/B), VESA 600X400, Haze 28%, Digital Daisy Chain
VM55B-U	55"	FHD	Max 500nit, 24/7, Non Glare, IPS Panel, 3.5mm (B-to-B), 2.25mm(U/L), 1.25mm(R/B), VESA 600X400, Haze 25%, Digital Daisy Chain (Supporting UHD Resolution, HDCP support)
VM46B-U	46"	FHD	Max 500nit, 24/7, Non Glare, IPS Panel, 3.5mm (B-to-B), 2.25mm(U/L), 1.25mm(R/B), VESA 600X400, Haze 25%, Digital Daisy Chain (Supporting UHD Resolution, HDCP support)

Interactive – E-Board



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
WA65C	65"	UHD	Android -11 OS, 32G Flash Memory Size, 3,840 x 2,160 Resolution, 400 nit, 8ms Response Time, 16/7, IR Touch Technology, ADS Panel Type, 25% Glass Haze
WA75C	75"	UHD	Android -11 OS, 32G Flash Memory Size, 3,840 x 2,160 Resolution, 400 nit, 8ms Response Time, 16/7, IR Touch Technology, ADS Panel Type, 25% Glass Haze

Interactive Display



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
QB13R-T	13"	FHD	300nit (w/o Glass), 16/7, Haze 2%, 1.1kg, VESA 100x100, Small Touch Signage Display Slim & Light Signage with Built-in Magicinfo S6, SSSP 6.0
QB24R-TB	24"	FHD	250nit (w/o Glass), 16/7, 5.2kg, VESA 200x200, FHD, Small Touch Signage Display Slim & Light Signage with Built-in Magicinfo S6, SSSP 6.0
QM32R-T	32"	UHD	300 (with Touch glass), 400(without Touch Glass), 16/7, Haze 2% w/o glass, 11.1 kg, VESA 200x200, Built in Speaker(10W + 10W), Display Port 1.2 (1), HDMI 2.0 (2), HDCP2.2, HDMI, USB 2.0 x 2, Stereo Mini Jack
QM43B-T	43"	UHD	400 (with Touch glass), 500(without Touch Glass), 24/7, Haze 25% w/o glass, 18.7 kg, VESA 200x200, Built in Speaker(10W + 10W), Display Port 1.2 (1), HDMI 2.0 (2), HDCP2.2, HDMI, USB 2.0 x 2, Stereo Mini Jack
QM55B-T	55"	UHD	400 (with Touch glass), 500(without Touch Glass), 24/7, Haze 25% w/o glass, 32.5 kg, VESA 200x200, Built in Speaker(10W + 10W), Display Port 1.2 (1), HDMI 2.0 (2), HDCP2.2, HDMI, USB 2.0 x 2, Stereo Mini Jack

Special




SEGMENT	SIZE	RESOLUTION	DESCRIPTION
SH37R-B	37"	FHD	700nit, SSSP 3.0, Non Glare(44% Haze), 16:4.5 Stretch(16:4.5) Ratio , Slim Bezel 12mm(T/B), 5.7mm(L/R), Depth 39.9mm

Business TV




SEGMENT	SIZE	RESOLUTION	DESCRIPTION
BE43C-H	43"	UHD	250nit,16/7, Haze 2%, 11.8 kg, 3 Bezel-less, HDMI x 3, HDCP 1.4 / 2.2, VESA 200x200, SLIM Feet Stand, USB M/Player, Analog Tuner, WiFi 5, Bluetooth supported , BizTV App (Android, iOS), Security Lock, Smart TV,
BE50C-H	50"	UHD	250nit,16/7, Haze 2%, 16 kg, 3 Bezel-less, HDMI x 3, HDCP 1.4 / 2.2, VESA 200x200, SLIM Feet Stand, USB M/Player, Analog Tuner, WiFi 5, Bluetooth supported , BizTV App (Android, iOS), Security Lock, Smart TV,
BE55C-H	55"	UHD	250nit,16/7, Haze 2%, 19.5 kg, 3 Bezel-less, HDMI x 3, HDCP 1.4 / 2.2, VESA 200x200, SLIM Feet Stand, USB M/Player, Analog Tuner, WiFi 5, Bluetooth supported , BizTV App (Android, iOS), Security Lock, Smart TV,
BE65C-H	65"	UHD	250nit,16/7, Haze 2%, 28.6 kg, 3 Bezel-less, HDMI x 3, HDCP 1.4 / 2.2, VESA 400x300, SLIM Feet Stand, USB M/Player, Analog Tuner, WiFi 5, Bluetooth supported , BizTV App (Android, iOS), Security Lock, Smart TV,
BE75C-H	75"	UHD	250nit,16/7, Haze 2%, 41.9 kg, 3 Bezel-less, HDMI x 3, HDCP 1.4 / 2.2, VESA 400x300, SLIM Feet Stand, USB M/Player, Analog Tuner, WiFi 5, Bluetooth supported , BizTV App (Android, iOS), Security Lock, Smart TV,

Hotel TV




SEGMENT	SIZE	RESOLUTION	DESCRIPTION
43HBU8000	43"	UHD	3,840 x 2,160, 11.9 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less NETFLIX READY THRU LYNK CLOUD (Need PMS Integration)
50HBU8000	43"	UHD	3,840 x 2,160, 16 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less NETFLIX READY THRU LYNK CLOUD (Need PMS Integration)
43HAU8000	43"	UHD	3,840 x 2,160, 11.9 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less
50HAU8000	50"	UHD	3,840 x 2,160, 16 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less
55HAU8000	55"	UHD	3,840 x 2,160, 22 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less
65HAU8000	65"	UHD	3,840 x 2,160, 28.4 kg, Crystal Processor 4K, HDR10+, Smart TV, Bluetooth, Web Browser, VESA 200x200, Mobile to TV - Mirroring, DLNA, WiFi Direct, IPv6 Support, Analog Tuner, WiFi, 3 Bezel-less

Self Ordering Kiosk (Tizen)




SEGMENT	SIZE	RESOLUTION	DESCRIPTION
KM24A	24"	FHD	"250cd (without glass), 1,920 x 1,080, 12.5kg, Built in speaker (5Wx1), 8GB (3.88GB Occupied by O/S, 4.12GB available), Cap touch, Tizen 4.0/SSSP 6 (for Ordering App dev.), All-in-One
CY-KM24AP	24"	FHD	(Printer, QR/ Barcode Reader Built-in), Temperature sensor, WiFi module embedded, Clock battery (168hrs Clock Keeping), IP5x rating, 10 point touch (Max)"
STN-KM24A	24"	OPTIONAL	Simple Floor Stand, 450 (W) x 929.7 (H) x 324.3 (D) mm,

Self Ordering Kiosk (Windows)




SEGMENT	SIZE	RESOLUTION	DESCRIPTION
KM24C-3	24"	FHD	"250cd (without glass), 1,920 x 1,080, 12.5kg, Built in speaker (5Wx1), 8GB (3.88GB Occupied by O/S, 4.12GB available), Cap touch, Intel i3, Windows IOT 11th Gen OS
CY-KM24AP	24"	FHD	All-in-One (Printer, QR/ Barcode Reader Built-in), Temperature sensor, WiFi module embedded, Clock battery (168hrs Clock Keeping), IP5x rating, 10 point touch (Max)"
STN-KM24A	24"	OPTIONAL	Simple Floor Stand, 450 (W) x 929.7 (H) x 324.3 (D) mm,

The Wall All In One (AIO) LED



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
IAB 146" 4K	146"	UHD	Ultra HD 4K (3,840 x 2,160) Pixel Pitch 0.84mm, Brightness (Peak/Max) 1,600 nit / 500 nit, IP20 Rating, Tizen 6.5
IAB 146" 2K	146"	FHD	Full HD 2K (1,920 x 1,080) Pixel Pitch 1.68mm, Brightness (Peak/Max) 1,400 nit / 500 nit, IP20 Rating, Tizen 6.5
IAB 110" 2K	110"	FHD	Full HD 2K (1,920 x 1,080) Pixel Pitch 1.26mm, Brightness (Peak/Max) 1,600 nit / 500 nit, IP20 Rating, Tizen 6.5

All In One (AIO) LED Indoor



SEGMENT	SIZE	RESOLUTION	DESCRIPTION
New! IAC 2K	130"	FHD	Full HD 2K (1,920 x 1,080) Pixel Pitch 1.5mm, Brightness (Peak/Max) 500 nit, Tizen 6.5


Visual eXperience Transformation

Samsung VXT is a cloud-based solution for digital signage, bringing intuitive content management and remote display management together in one secure platform.

Samsung VXT Content Management

Effortlessly create promotional content

VXT Canvas enables anyone to create content effortlessly and more intuitively. You can create original content with a variety of templates and free stock images, even adding widgets for more dynamic, visually engaging content. As the use of interactive content for digital displays continues to increase, VXT Canvas also allows for easy touch content creation.



Easy, intuitive scheduling and playlist creation

Samsung VXT uses an intuitive drag and drop interface, making content scheduling and playlist creation simple with just a few quick clicks. It also allows for adjusting content schedules and distributing them to connected displays anytime, without requiring a PC.

Keep content in sync

VXT offers a SyncPlay function, synchronizing all screens across the system and playing content in line with each other. Regardless of the server time connected to the display, VXT synchronizes the internal time across multiple displays and constantly checks it during content playback to prevent lag or streaming delay, while also eliminating gaps as content transitions.





Visual eXperience Transformation

Samsung VXT Remote Management

Remote control

Samsung VXT provides an intuitive interface with remote real-time monitoring, screen management and comprehensive security control.

Additional lock options are available for items such as USB port, Wi-Fi and Bluetooth connections, networks port access and remote controllers, even for multiple screens.



Take action before a problem happens

VXT detects dangerous situations in advance, such as a severe temperature increase or weak network signal.

By sending a warning email and SMS to the user, it proactively addresses the issue before it affects any displays while also ensuring stable content play.

Monthly Energy Report

Analyze the monthly electricity consumption of your screens, including a comparison to the previous month.

Brightness Control

Automatic On/Off Timer

Holiday Management



Other Services

1 OEM (HARDWARE)

- Professional Display, Laptop, Desktop, Commercial TV, and Server

2 MANAGED IT SERVICES

- Onsite Tech Support
- Tech Installation and Upgrades

3 TECH PRODUCTS & SERVICES

- Order Fulfillment System
- Custom Development Services
- Development Services

4 BUSINESS PROCESS OUTSOURCING

- Inbound Customer Services (Voice and Chat)
- Back Office Support Services
- Remote Tech Support Services (T1 & T2)

5 SOFTWARE

- LiveChat
- Freshworks



Why Choose us?



Techpryme as your partner for Samsung Display Solutions

As a Direct Partner of Samsung Philippines, we offer competitive pricing on our lineup of Display Solutions. From delivery and installation to ongoing customer support, we ensure you receive top-notch service without compromising on affordability.



Cutting-Edge Technology

We take pride in being selected as a partner for Samsung, a brand synonymous with cutting-edge technology and innovation in display solutions. Renowned for reliability and high-quality products, Samsung's trust is a testament to our commitment to excellence.



Customization and Integration

We recognize that every business is unique, which is why we offer customizable display solutions that seamlessly integrate with your existing infrastructure and branding.



Comprehensive Support and Service

Our commitment to your satisfaction extends beyond the initial purchase. We provide comprehensive support and service throughout the entire lifecycle of your display solution. From installation and configuration to ongoing maintenance and technical support, we are here to ensure your displays operate seamlessly.



Cost-Effective Solutions

We understand the importance of maximizing your return on investment. That's why we offer cost-effective display solutions that deliver exceptional value. Whether you're a small business or a large enterprise, we work within your budget to provide the best possible solution for your needs.